



# AMRITA SUPPLY<sup>LLC</sup>

FEEL THE SW DIFFERENCE<sup>®</sup>

## DESIGNED TO ENHANCE WORKER PERFORMANCE.



### PowerForm<sup>®</sup>

**PF-95GW**

POWDER-FREE ECOTEK<sup>®</sup> BIODEGRADABLE NITRILE EXAMINATION GLOVES WITH ENERGEL<sup>™</sup> AND BREACH ALERT<sup>™</sup>\*

**EXPERIENCE ENERGEL<sup>®</sup> INFUSED GLOVES, DESIGNED TO HYDRATE SKIN AND PROTECT AGAINST LONG-TERM GLOVE USAGE**

- EnerGel<sup>™</sup> Hand Conditioning Technology clinically proven to hydrate and soothe skin
- Breach Alert<sup>™</sup> Visual Detection Technology provides durable 2-ply construction and contrasting inner color
- EcoTek<sup>®</sup> Biodegradability Technology accelerates landfill breakdown without any performance loss\*
- **Proven resistance to fentanyl and gastric acid for over 4 hours to replicate hazardous settings and overdose conditions\***
- Silicone-free for critical environments
- Exceeds 1.5 AQL laboratory standards


PF

PF-95GW		ECOTEK	
WEIGHT	LENGTH	THICKNESS	COLOR
6.5g (large size)	9.5"	4.9 mil	GREEN WHITE
FEATURES		ENERGEL <sup>™</sup>	
BREACH ALERT <sup>™</sup>		ECOTEK <sup>®</sup>	

Optimal thickness for durability and tactile sensitivity

Fully textured surface for wet and dry grip

Tear-resistant beaded cuff for easy donning



EnerGel<sup>™</sup> EcoTek<sup>®</sup> BreachAlert<sup>™</sup>



# AMRITA SUPPLY<sup>LLC</sup>



WOMEN OWNED



\*Using ASTM D6978

Robert McKenna VP  
201-452-5542

## TECHNICAL DATA



### PF-95GW

POWDER-FREE ECOTEK® BIODEGRADABLE  
NITRILE EXAMINATION GLOVES WITH ENERTEL™  
AND BREACH ALERT™\*

## PRODUCT DESCRIPTION

### SPECIFICATIONS

<b>PRODUCT</b>	PowerForm®		
<b>GRADE</b>	Powder-Free Exam		
<b>MATERIAL</b>	Nitrile		
<b>THICKNESS</b>	<b>FINGER</b>	5.9mil	0.15mm
	<b>PALM</b>	4.9mil	0.13mm
	<b>CUFF</b>	3.8mil	0.10mm
<b>COLOR</b>	<b>OUTER</b>	Green	
	<b>INNER</b>	White	
<b>SURFACE</b>	<b>OUTER</b>	Fully Textured	
	<b>INNER</b>	EnerGel™	
<b>LENGTH</b>	9.5"	242mm	
<b>WEIGHT</b>	6.5g		
<b>FIT TYPE</b>	Ambidextrous		
<b>CUFF TYPE</b>	Beaded		
<b>WATERTIGHT AQL</b>	1.5		
<b>ORIGIN COUNTRY</b>	China		

Specifications based on size Large glove

### PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
<b>TENSILE STRENGTH:</b>	18 MPa	18 MPa
<b>ELONGATION:</b>	550%	500%

### INTEGRATED TECHNOLOGIES

**ENERTEL™** Hand Conditioning Technology: allows for thorough penetration of Aloe Vera into the skin, reduces water loss to retain moisture and has been clinically proven to prevent many skin ailments, like dermatitis.

**ECOTEK®** Biodegradability Technology: 92.6% biodegradable in 2.5 years. ASTM D5526-12 test results do not predict future biodegradation.\*

**BREACH ALERT™** Visual Detection Technology: provides durable 2-ply construction and contrasting inner color



## STANDARDS & CERTIFICATIONS

EN 420:2003 CAT III COMPLEX DESIGN  
EN 455:2000-2015 FDA 21 CFR 177.2600  
ASTM D6319-10  
ASTM D6978  
EU 2016/425



Please visit [swsafety.com/symbols](http://swsafety.com/symbols) for information on standards used on this document.

## ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N189471	XS 5½ – 6	2.7" 70mm	50 gloves per box 10 boxes per case
N189472	S 6½ – 7	3.1" 79mm	50 gloves per box 10 boxes per case
N189473	M 7½ – 8	3.5" 89mm	50 gloves per box 10 boxes per case
N189474	L 8½ – 9	4.1" 104mm	50 gloves per box 10 boxes per case
N189475	XL 9½ – 10	4.5" 114mm	50 gloves per box 10 boxes per case
N189476	2XL 10½ – 11	4.9" 124mm	50 gloves per box 10 boxes per case

## APPLICATIONS

- Agriculture
- Hydroponics
- Assembly
- Chemical Handling
- Clinical
- Laboratory
- Liquid Handling
- Pharma Production

Keep out of sunlight. Store in a cool, dry place.  
Keep away from sources of ozone or ignition.



R\_N18947X0421



\*Under test method ASTM D5526-12, a standard test method for determining anaerobic biodegradation of plastics in accelerated landfill conditions. Current biodegradation results do not predict future results.